




Information

- Floor-mount installation
- Aerated spout flow rate ~8 gpm @45 psi
- Handshower flow rate ≤ 1.5 max gpm
- 8-13/16" spout reach
- 40-11/16" approximate height
- Includes handshower with 59" spiral flexible hose
- Optional in-line pressure balancing valve G-1060


Oberflächen



Unbehandelte s gebürstetes Messing	Messing gebürstet Vintage	Weiss
--	---------------------------------	-------

G-6954-LM48N
Camden Collection
Floor-Mounted Tub Filler

GRAFF®



Product Features

- Floor-mount installation
- Aerated spout flow rate ~8 gpm @ 45 psi
- Handshower flow rate ≤ 1.5 max gpm
- 8-13/16" spout reach
- 40-11/16" approximate height
- Includes handshower with 59" spiral flexible hose

Optional Accessories

- Optional in-line pressure balancing valve G-1060

Available Finishes


- Polished Chrome
G-6954-LM48N-PC
- Brushed Nickel
G-6954-LM48N-BNi
- Polished Nickel
G-6954-LM48N-PN
- Olive Bronze
G-6954-LM48N-OB
- Unfinished Brass*
G-6954-LM48N-UB*
- Gold*
G-6954-LM48N-AU*
- Brushed Gold*
G-6954-LM48N-BAU*

* Special order finish - call for availability

Warranty

- Limited lifetime warranty

For complete warranty information go to
<https://www.graff-faucets.com/en/info/faqs>







Oberflächen



Gold 24K




Gebürstetes
Gold 24K




Gebürstetes
Messing
PVD®




Schwarz_Architectural
Black™



Gebürstetes
Nickel



Gebürstetes
Onyx PVD®



Rosé-Gold /
Gebürstetes
Kupfer PVD®



Gunmetal
PVD®



Matt schwarz



Olivebraun



Onyx PVD®



Poliertes
Messing
PVD®




Poliertes
Chrom



Poliertes
Nickel




Rosé-Gold /
Poliertes
Kupfer PVD®



Rohmessing



Unbehandeltes
gebürstetes
Messing



Messing
gebürstet
Vintage



Weiss

G-1045

Spout Connection Rough




Product Features

- Mud guard displays minimum and maximum floor depth
- Rough can be installed in any orientation making it convenient to route pipes to the rough
- Trim can be rotated 360 degrees in any directions
- Averages 10 GPM with most trim

Warranty

- Limited lifetime warranty

For complete warranty information go to <http://www.graff-faucets.com/en/info/faqs>



The measurements shown are for reference only. Products and specifications shown are subject to change without notice. Revised 07/2017.


www.graff-faucets.com | phone: 800-954-4723



Information

- Floor-mount installation
- Aerated spout flow rate ~8 gpm @45 psi
- Handshower flow rate ≤ 1.5 max gpm
- 8-13/16" spout reach
- 40-11/16" approximate height
- Includes handshower with 59" spiral flexible hose
- Optional in-line pressure balancing valve G-1060


Oberflächen



Unbehandelte s gebürstetes Messing	Messing gebürstet Vintage	Weiss
--	---------------------------------	-------

G-6954-LM48N
Camden Collection
Floor-Mounted Tub Filler

GRAFF®



Product Features

- Floor-mount installation
- Aerated spout flow rate ~8 gpm @ 45 psi
- Handshower flow rate ≤ 1.5 max gpm
- 8-13/16" spout reach
- 40-11/16" approximate height
- Includes handshower with 59" spiral flexible hose

Optional Accessories

- Optional in-line pressure balancing valve G-1060

Available Finishes


- Polished Chrome
G-6954-LM48N-PC
- Brushed Nickel
G-6954-LM48N-BNi
- Polished Nickel
G-6954-LM48N-PN
- Olive Bronze
G-6954-LM48N-OB
- Unfinished Brass*
G-6954-LM48N-UB*
- Gold*
G-6954-LM48N-AU*
- Brushed Gold*
G-6954-LM48N-BAU*

* Special order finish - call for availability

Warranty

- Limited lifetime warranty

For complete warranty information go to
<https://www.graff-faucets.com/en/info/faqs>



The measurements shown are for reference only. Products and specifications shown are subject to change without notice. Revised 5/2018.

www.graff-designs.com | phone: 800-954-4723