

Information

- Floor-mount installation
- Aerated spout flow rate ~7 gpm @ 45 psi
- Handshower flow rate ≤1.5 max gpm
- 8-7/8" spout reach
- 38-1/16"-41-1/4" approximate height
- Includes handshower with 59" spiral flexible hose (PVD finishes use 59" flex hose)
- Optional in-line pressure balancing valve

Finishes










Product Features


- Floor-mount installation
- Aerated spout flow rate
 7 gpm @ 45 psi
- Handshower flow rate ≤1.5 max gpm
- 8-7/8" spout reach
- 38-1/16"-41-1/4" approximate height
- Includes handshower with 59" spiral flexible hose (PVD finishes use 59" flex hose)
- Optional in-line pressure balancing valve

Warranty

Limited lifetime warranty

For complete warranty information go to https://www.graff-faucets.com/en/info/faqs





Available Finishes

- Polished Chrome G-11454-C19B-PC
- Brushed Nickel G-11454-C19B-BNi
- Polished Nickel G-11454-C19B-PN
- Matte Black* G-11454-C19B-MBK*
- Architectural Black*
 G-11454-C19B-BK*
- Architectural White*
 G-11454-C19B-WT*
- Oive Bronze*
 G-11454-C19B-OB*
- Gunmetal*
 G-11454-C19B-GM*
- Onyx PVD*
 G-11454-C19B-OX*
- Polished Brass PVD*
 G-11454-C19B-PB*
- Brushed Brass PVD*
 G-11454-C19B-BB*
- 24K Gold*
 G-11454-C19B-AU*
- 24K Brushed Gold*
 G-11454-C19B-BAU*
- 24K Brushed Gold w/Onyx PVD Accents* G-11454-C19B-BAU/OX*
- Polished Chrome w/Onyx PVD Accents* G-11400-C19-PC/OX*
- Polished Nickel w/Onyx PVD Accents*
 G-11454-C19B-PN/OX*

^{*} Special order finish- call for availability





Finishes



Gold



Gold



Gold/Onyx **PVD®**



24K Polished 24K Brushed 24K Brushed Brushed Brass Architectural **PVD®**



Black™



Brushed Nickel



Brushed Onyx **PVD®**



Gunmetal **PVD®**





Matte Black Olive Bronze Onyx PVD® Polished Brass





 PVD^{\circledR}



Polished Chrome



Polished Chrome/Onyx **PVD**® Accents



Polished Nickel



Polished Nickel/Onyx **PVD**® Accents








Product Features

- Mud guard displays minimum and maximum floor depth
- Rough can be installed in any orientation making it convenient to route pipes to the rough
- Trim can be rotated 360 degrees in any directions
- Averages 10 GPM with most trim


Warranty

• Limited lifetime warranty

For complete warranty information go to http://www.graff-faucets.com/en/info/faqs







Information

- Floor-mount installation
- Aerated spout flow rate ~7 gpm @ 45 psi
- Handshower flow rate ≤1.5 max gpm
- 8-7/8" spout reach
- 38-1/16"-41-1/4" approximate height
- Includes handshower with 59" spiral flexible hose (PVD finishes use 59" flex hose)
- Optional in-line pressure balancing valve

Finishes










Product Features


- Floor-mount installation
- Aerated spout flow rate
 7 gpm @ 45 psi
- Handshower flow rate ≤1.5 max gpm
- 8-7/8" spout reach
- 38-1/16"-41-1/4" approximate height
- Includes handshower with 59" spiral flexible hose (PVD finishes use 59" flex hose)
- Optional in-line pressure balancing valve

Warranty

Limited lifetime warranty

For complete warranty information go to https://www.graff-faucets.com/en/info/faqs





Available Finishes

- Polished Chrome G-11454-C19B-PC
- Brushed Nickel G-11454-C19B-BNi
- Polished Nickel G-11454-C19B-PN
- Matte Black*
 G-11454-C19B-MBK*
- Architectural Black*
 G-11454-C19B-BK*
- Architectural White*
 G-11454-C19B-WT*
- Oive Bronze*
 G-11454-C19B-OB*
- Gunmetal*
 G-11454-C19B-GM*
- Onyx PVD*
 G-11454-C19B-OX*
- Polished Brass PVD*
 G-11454-C19B-PB*
- Brushed Brass PVD*
 G-11454-C19B-BB*
- 24K Gold*
 G-11454-C19B-AU*
- 24K Brushed Gold*
 G-11454-C19B-BAU*
- 24K Brushed Gold w/Onyx PVD Accents* G-11454-C19B-BAU/OX*
- Polished Chrome w/Onyx PVD Accents* G-11400-C19-PC/OX*
- Polished Nickel w/Onyx PVD Accents*
 G-11454-C19B-PN/OX*

^{*} Special order finish- call for availability