

G-4895-LM46B




# **Information**

- Installs on 8" centers
- Swivel spout
- Aerated flow rate ≤1.8 max gpm, side spray flow rate ≤1.8 max gpm
- Includes matching independent side spray w/ progressive valve and dual-function spray/stream pull-out sprayhead
- Reverse osmosis compatible
- ADA
- CALGreen

#### **Finishes**



# G-4895-LM46B Sosprio Series





G-4890-LM46B




## Information

- Installs on 8" centers
- Swivel spout
- Aerated flow rate ≤ 1.8 max gpm
- Reverse osmosis compatible
- ADA
- CALGreen

## **Finishes**









## **Information**

- Single-hole installation
- Single lever handle
- Dual-function spray/stream pullout sprayhead
- Progressive valve controls water temperature
- Aerated flow rate ≤ 1.8 max gpm
- CALGreen

#### **Finishes**







#### **Product Features**

- Single-hole installation
- Single lever handle
- Dual-function spray/stream pullout sprayhead
- Progressive valve controls water temperature
- Aerated flow rate ≤ 1.8 max gpm

# Available Finishes

- Polished Chrome G-9935-PC
- Polished NickelG-9935-PN
- Brushed Nickel
  G-9935-SN
- Olive Bronze\* G-9935-OB\*


# Code Compliance

CALGreen

### Warranty

Limited lifetime warranty

For complete warranty information go to https://www.graff-faucets.com/en/info/faqs



<sup>\*</sup> Special order finish- call for availability